

Dayton Area Drug Survey — Table 2
Percent of 12th Graders Reporting Daily Use* (1990-2008)

	1990	1991	1992	1993	1994	1996	1998	2000	2002	2004	2006	2008
Drug	N=3,124	N=2,732	N=2,632	N=2,868	N=2,779	N=1,898	N=1,934	N=2,012	N=2,406	N=2,295	N=2890	N=2859
Marijuana	2.2	2.3	3.1	4.1	6.5	6.9	6.8	6.6	8.8	5.9	4.8	4.7
Cocaine												
Crack	0.1	0.1	<0.1	0.7	1.1	0.2	0.1	0.3	0.2	0.2	0.3	0.4
Other Cocaine	0.1	<0.1	<0.1	0.8	1.2	0.5	0.2	0.3	<0.1	0.3	0.3	0.3
Inhalants	0.2	0.3	0.1	0.8	1.3	0.3	0.2	0.1	0.1	<0.1	<0.1	<0.1
Steroids	<0.1	0.0	0.1	0.6	1.1	0.0	0.2	0.2	0.1	<0.1	0.2	1.0
Nitrites	<0.1	<0.1	<0.1	0.8	1.2	0.1	0.2	-	-	-	-	-
Nitrous Oxide	-	-	-	-	-	-	-	0.3	0.1	<0.1	0.1	<0.1
Hallucinogens	0.1	0.1	<0.1	0.7	1.2	0.2	0.1	0.4	0.2	<0.1	0.2	0.4
Opiates	<0.1	<0.1	<0.1	0.6	1.3	0.1	0.2	0.4	0.4	0.3	0.5	0.5
Heroin	-	-	-	-	-	-	-	0.5	0.2	0.2	0.1	0.6
Tranquilizers	0.2	0.1	<0.1	0.6	1.1	0.0	0.1	0.2	0.7	0.6	0.5	0.6
Stimulants	0.3	0.1	0.1	1.0	1.3	0.6	0.5	0.3	0.4	<0.1	0.2	0.3
Methamphetamines	-	-	-	-	-	-	-	0.3	0.6	<0.1	0.1	0.5
No Rx Diet/SA Pills	-	-	-	-	-	-	-	1.9	2.1	1.6	1.4	1.0
PCP	<0.1	0.0	0.0	0.7	1.0	0.2	0.2	-	-	-	-	-
Alcohol	5+ Daily	5+ Daily	5+ Daily	5+ Daily	5+ Daily	5+ Daily	5+ Daily	5+ Daily	5+ Daily	5+ Daily	5+ Daily	5+ Daily
	25.2 3.4	28.8 4.2	29.1 3.8	30.2 4.3	26.4 4.5	32.9 4.3	28.7 4.3	34.1 3.7	32.6 4.0	31.9 4.1	30.1 3.7	27.2 2.7
Cigarettes	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily	HP+/Daily
	8.5 15.6	10.5 17.5	11.1 21.3	10.8 18.8	12.9 20.6	16.6 23.2	14.7 23.3	13.5 24.5	10.9 18.9	8.0 14.1	5.4 10.9	5.2 10.4
Smokeless Tobacco	N/A	5.6	4.5	4.1	3.2	3.3	2.7	2.9	1.9	2.5	2.7	3.4
Ritalin	-	-	-	-	-	-	-	-	0.3	<0.1	0.2	0.4
Ecstasy	-	-	-	-	-	-	-	-	<0.1	<0.1	0.2	0.3

5+ = Five or more drinks in a row on at least one occasion

Hp+ = Half pack or more per day

*Daily use -- Having used the drug in question twenty or more times in the 30 days prior to the study