

Dayton Area Drug Survey — Table 3
Percent of 9th Graders Reporting Lifetime Use* (1992-2008)

Year	1992	1993	1994	1996	1998	2000	2002	2004	2006	2008
	N=	N=	N=	N=	N=	N=	N=	N=	N=	N=
	3,148	4,102	4,774	2,521	2,845	3,130	2,994	3,398	4,280	3,779
Marijuana	25.0	26.2	34.6	38.1	37.8	28.1	28.2	20.9	19.4	16.2
Cocaine										
Crack	3.2	4.8	5.4	7.6	6.5	3.1	3.6	2.6	2.3	1.9
Other Cocaine	3.4	4.4	5.2	7.3	6.9	3.5	4.0	3.0	2.9	2.1
Inhalants	17.3	20.5	21.4	26.0	24.7	13.9	13.7	11.3	10.3	8.9
Steroids	1.9	3.8	3.9	1.3	1.9	3.3	2.6	9.5	1.5	1.5
Nitrites	2.5	4.8	5.3	6.3	5.2	-	-	-	-	-
Nitrous Oxide	-	-	-	-	-	7.7	7.3	5.6	4.8	3.3
Hallucinogens	5.7	7.7	9.6	15.3	13.0	12.3	7.9	5.5	4.6	3.8
Opiates	2.6	5.0	5.4	5.8	6.2	8.0	7.8	7.9	7.4	6.7
Heroin	-	-	-	-	-	3.5	3.5	3.6	2.8	2.8
Tranquilizers	6.5	8.4	8.5	10.5	10.7	13.1	11.9	9.7	9.3	8.0
Stimulants	9.8	13.7	15.8	20.0	17.3	9.1	5.4	5.5	4.2	3.9
Methamphetamines	-	-	-	-	-	6.8	6.5	4.7	3.6	2.4
Non Rx Diet/SA Pills	-	-	-	-	-	21.0	19.6	13.8	11.5	8.6
PCP	3.0	5.4	6.2	6.5	6.7	-	-	-	-	-
Alcohol	75.0	72.8	71.6	72.1	72.2	63.7	60.5	52.1	52.1	45.7
Cigarettes	52.0	53.0	53.3	59.4	41.6	48.7	40.0	30.1	26.3	22.5
Smokeless Tobacco	21.7	23.1	22.4	25.0	18.9	13.2	12.0	8.8	9.2	8.5
Ritalin	-	-	-	-	-	-	6.0	5.3	4.7	3.2
Ecstasy	-	-	-	-	-	-	5.9	3.8	2.6	2.1

*Lifetime use -- Having used the drug in question at least once

See: <http://www.med.wright.edu/citar/dads/>