

Dayton Area Drug Survey — Table 4
Percent of 7th Graders Reporting Lifetime Use* (1992-2008)

Year	1992	1993	1994	1996	1998	2000	2002	2004	2006	2008
	N=2,687	N=3,287	N=4,392	N=1,845	N=2,097	N=2,286	N=2,573	N=3,130	N=3,603	N=3,708
Marijuana	8.8	12.0	16.9	12.6	11.5	10.0	7.5	5.0	4.9	4.0
Cocaine										
Crack	1.9	2.4	4.2	3.4	2.5	3.0	1.2	1.4	1.3	1.1
Other Cocaine	1.6	2.3	4.2	2.9	2.2	2.4	1.2	1.3	1.1	0.8
Inhalants	11.4	14.6	15.1	21.8	15.8	12.1	8.0	9.2	7.3	6.0
Nitrous Oxide	-	-	-	-	-	5.5	2.6	2.5	2.3	2.1
Steroids	1.0	2.3	3.9	0.6	1.0	2.6	1.3	1.1	1.1	0.8
Nitrites	1.2	2.7	4.2	2.9	1.7	-	-	-	-	-
Hallucinogens	2.0	2.7	4.8	3.6	2.4	3.8	1.7	1.5	1.2	1.3
Opiates	1.7	2.9	4.5	2.3	2.1	2.6	1.6	1.6	1.3	1.7
Heroin	-	-	-	-	-	2.3	1.2	1.5	1.0	1.1
Tranquilizers	3.3	3.8	5.2	3.4	3.3	5.7	4.2	4.3	3.3	3.0
Stimulants	4.1	6.0	7.8	7.0	4.2	4.2	1.6	1.5	1.5	1.1
Methamphetamines	-	-	-	-	-	4.0	2.2	1.9	1.4	1.5
Non Rx Diet/SA Pills	-	-	-	-	-	8.9	7.8	6.1	4.4	4.4
PCP	1.8	3.1	4.7	3.6	3.1	-	-	-	-	-
Alcohol	51.1	51.4	51.9	47.8	41.5	38.8	27.3	28.0	23.5	21.2
Cigarettes	32.1	36.0	38.5	36.7	29.3	28.4	19.2	14.0	10.9	8.5
Smokeless Tobacco	11.8	11.7	12.7	10.7	6.9	5.4	3.9	3.7	2.8	2.6
Ritalin	-	-	-	-	-	-	2.6	2.7	1.3	1.0
Ecstasy	-	-	-	-	-	-	1.7	1.6	1.1	0.8

*Lifetime use -- Having used the drug in question at least once

See: <http://www.med.wright.edu/citar/dads/>